
4G06 - N300 Wi-Fi 4G LTE Router



SKU: 4G06

Link: <https://www.mundicam.com/productos/networking/routers/routers-utp/4g06/>

PRODUCT INFORMATION

Marcas: 2348

Categorías: NETWORKING, Routers, Routers UTP

Etiquetas: IP-COM

Tenda 4G06 is a wireless gateway that integrates LTE and high-speed Ethernet uplink access, which provides users with flexible and diversified data access and voice services.

ESPECIFICACIONES TÉCNICAS

4G Cartgory

LTE CAT4

4G/3G standards

FDD LTE,TDD-LTE,WCDMA

4G Mobile Bands

4G FDD LTE:B1/B2/B3/B4/B5/B7/B8/B20/B28AB

4G TDD-LTE:Band38/Band40

3G WCDMA:B1/B2/B5/B8

2G GSM:B3/B8

Max 4G speed

DL:150Mbps

UL:50Mbps

Wi-Fi standards

802.11b/g/n

Wi-Fi frequency

2.4GHz

Wi-Fi speed

2.4GHz:300Mbps

Wi-Fi transmit Power

2.4GHz:up to 20dBm

Interfaz

1 × 10/100 Mbps LAN/WAN Port

1 × 10/100Mbps LAN Port

1*Tel Port

1 × 2FF SIM Card Slot

Botones

Power on/off

WPS/Reset

Antena

2 detachable 4G/3G/2G Antennas

2 Internal Wi-Fi Antennas

LED

Power

Wi-Fi

LAN

Internet

4G/3G/2G Signal strength(3 Bars)

Dimensiones

185*126*60mm?L*W*H?

Peso

About 350g

Fuente de alimentación

Power adapter:Input power AC 100V-240V 50/60Hz

Output power:DC 12V==1A

WAN Type

4G/3G/2G or Wired

4G/3G Features

Auto-APN

Auto dial-up

Roaming

SMS(Send/Receive/Delete)

VoLTE/CSFB

USSD

Data limited

PIN Management

Wi-Fi functions

Broadcast and Hide Wi-Fi name

Guest network

Wi-Fi schedule

Wi-Fi security

WEP,WPA-PSK, WPA2-PSK, WPA/WPA2

Software features

APP/Local/remote management

Parental control

DHCP(DHCP Server and Client)

Virtual Server(UPnP/DMZ/Port Forwarding)

DDNS(DynDns, 88ip)

VPN(PPTP Client/L2TP Client/PPTP Server)

Firewall

QOS

Upgrade firmware from local or OTA

IPV4/IPV6

TR069

Certificaciones

FCC Granted

CE Granted

ROHS Granted

Temperatura

Operating Temperature: 0?~40?

Storage Temperature: -30°C~70°C

Humedad

Operating Humidity: 10% ~ 90% RH Non-condensing

Storage Humidity: 5% ~ 90% RH Non-condensing

Contenido del paquete

-
- 1 * 4G LTE Router
 - 2 * Detachable antennas
 - 1 * Ethernet cable
 - 1* RJ11 Tel cable
 - 1 * Power adapter
 - 1 * Quick Installation Guide